Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	726/8.ccls. and security adj module with stor\$ with credential\$	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:41
L2	1	"726"/\$.ccls. and security adj module with stor\$3 with credential\$1	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:41
L3	. 6	security adj module with stor\$3 with credential\$1	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:42
L4	31	security adj module with stor\$3 with PASSWORD	US-PGPUB; USPAT	OR .	OFF .	2007/01/06 09:54
L5	25	table with stor\$3 with active with (processes threads)	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:55
L6	0	interrupt\$1 with table with stor\$3 with active with (processes threads)	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:55
L7	1	interrupt\$1 with table with stor\$3 with (stop\$ halt\$ terminat\$2) with (processes threads)	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:56
L8	21	interrupt\$1 with table with stor\$3 with (processes threads)	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:59
L9	30	track\$3 with table with stor\$3 with (processes threads)	US-PGPUB; USPAT	OR	OFF	2007/01/06 09:59
L10	30	track\$3 with table with stor\$3 with (processes threads) not 18	US-PGPUB; USPAT	OR	OFF	2007/01/06 10:11
L11	0	track\$3 with table with stor\$3 with (processes threads) and (712/244 712/233).ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 10:12
L12	. 24	table with (processes threads)and (712/244 712/233).ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 10:14
L13	118	table with (interrupt\$) and (712/244 712/233).ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 10:15
L14	1	status near3 table with (interrupt\$) and (712/244 712/233). ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 10:23
L18	392	user with (choos\$3 select\$3) with credential\$1	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:24
L19	9	user with (choos\$3 select\$3) with credential\$1 with (usability memor\$3)	US-PGPUB; USPAT	OR .	OFF	2007/01/06 11:32
L20	398	user\$1 with (choos\$3 select\$3) with credential\$1	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:26
L21	125	user\$1 near4 (choos\$3 select\$3) near3 credential\$1	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:29
L22	1	user\$1 near4 (pick\$3) near3 credential\$1	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:28
L23	2	user with (choos\$3 select\$3) with credential\$1 with (remember\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:35

				_		
L24	10	user with (choos\$3 select\$3) with pattern\$1 with (remember\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:35
L26	32	enforc\$3 with secur\$3 with module with data	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:58
L27	1020	secur\$3 with module with data near5 stor\$3	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:58
L28	475	secur\$3 with module near4 stor\$3 near5 data	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:59
L29	59	secur\$3 with module near4 stor\$3 near5 data and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:00
L30	3	prevent\$3 with access with module near4 stor\$3 near5 data and "726"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:00
L31	6	protect\$3 with access with module near4 stor\$3 near5 data and "726"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:01
L32	31	protect\$3 with access with module near4 stor\$3 near5 data	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:01
L33	25	protect\$3 with access with module near4 stor\$3 near5 data not l31	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:04
L37	18	secure adj module with data with access	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:29
L43	10	"6091817"	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:42
L44	0	"6091817" and ("573872" "427456" "486363").pn. and (authenticat\$ PIN credential\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:44
L45	13384	(IC smart) adj card and (authenticats PIN credential\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:43
L46	4129	(IC smart) adj card with (authenticat\$ PIN credential\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:43
L47	287	((IC smart) adj card with (authenticat\$ PIN credential\$1)).ab.	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:43
L48	41	((IC smart) adj card with (authenticat\$ PIN credential\$1)).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:44
L49	0	"6091817" and ("573872" "427456" "486363").pn. and (password passcode)	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:44
L50	3	((IC smart) adj card with (password passcode)).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/06 12:52
S1	1126	713/182.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:34
S2	4 <u>7</u> 0	713/182.ccls. and (@ad<"20001130" or @rlad<"20001130" or @prad<"20001130")	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:12

S3	13	Legitimate with (login authenticat\$) with (window screen)	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:13
S4	18	Legitima\$ with (login authenticat\$) with (window screen)	US-PGPUB; USPAT	OR	OFF .	2007/01/05 14:06
S5	0.	Legitima\$ near5 (window screen) with (authenticat\$ login) not S4	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:20
S6	0	("5323146" "5347579" "5428349" "5434918" "5483598" "5491752").pn. and "5664099"	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:21
S8	18	("5323146" "5347579" "5428349" "5434918" "5483598" "5491752").pn. "5664099"	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:29
S9		("5276314" "5428084" "5465084" "5559961" "5608387" "5664099" "6085320" "6209104" "6332192" "20010039618" "20020029341" "5177789" "5821933" "6141751" "6789110" "6209104" "6812938" "6603854" "5425102" "20050044425").pn.	US-PGPUB; USPAT	OR	OFF	2007/01/06 11:56
S10	32	("5276314" "5561758").pn. "5821933" ("4964163" "5091939" "5163097" "5311594" "5345549" "5425102").pn.	US-PGPUB; USPAT	OR	OFF	2007/01/04 18:50
S14	229	(true valid unspoof\$2 spoof\$2 false legitima\$3) with (login authenticat\$) with (window screen page) same password	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:12
S15	18	Legitima\$ with (login authenticat\$) with (window screen)	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:08
S16	222	S14 not S15	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:09
S18	470	713/182.ccls. and (@ad<"20001130" or @rlad<"20001130" or @prad<"20001130")	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:09
S19	221	S16 not S18	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:09
S20	5	((authenticat\$ identif\$ verif\$) with (login authenticat\$) with (window screen page)).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:14
S21	28712	atm and (authentic\$ valid\$ true)	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:15
S22	690	(atm).ab. and (authentic\$ valid\$ true) and (screen display window)	US-PGPUB; USPAT	OR	OFF	2007/01/05 14:15
S24	75	(atm).ab. and (authentic\$ valid\$ true) with(screen display window)	US-PGPUB; USPAT	OR	OFF	2007/01/05 15:14
S31	13	security adj module with confidential with (data informatio)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:16

			_			
S32	24	security adj module with confidential with (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:04
S33	123	module with confidential adj (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:04
S34	16	protect\$ with module with confidential adj (data information) not S32	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:05
S35	1955	((IC smart) card) with (authenticat\$ confidential) adj (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:18
S36	1306	((IC smart) card) with (authenticat\$) adj (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:18
S37	619	((IC smart) card) near5 (authenticat\$) adj (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:19
S38	313	((IC smart) card) near5 (authenticat\$) adj (data information) and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:20
S39	31	((IC smart) card) near5 (authenticat\$) adj (data information) and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:22
S40	21	((IC smart) card) near5 login and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") and "726"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:23
S41	1	((IC smart) card) near5 login near4 (script program applet routine) and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:26
S42	64	(((IC smart) card) near5 (authentication login) near4 (script program applet routine sequence)) and (((IC smart) card) with processor)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:28
S47	0	(Secure adj Storage with Ciphering with Information with Using with PIN with Code).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:45
S48	0	(Secure with Storage with Ciphering with Information with Using with PIN with Code).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:45
S49	5	(Secure with Storage with Ciphering with Information with Using with PIN with Code)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:53
S50	50	"6257486" and (processor memory)	US-PGPUB; USPAT	OR	OFF	2007/01/05 20:54

S53	44	security adj module with stor\$3 with (confidential authentication secure) adj (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/05 21:02
		auj (uata iliioirilatioii)				